

Contents

Articles

■ CRITICAL REVIEW

Regulation of Tight Junction Permeability by Intestinal Bacteria and Dietary Components

Dulantha Uluwischewa, Rachel C. Anderson, Warren C. McNabb, Paul J. Moughan, Jerry M. Wells, and Nicole C. Roy 769

■ BIOCHEMICAL, MOLECULAR, AND GENETIC MECHANISMS

Glycine-N Methyltransferase Expression in HepG2 Cells Is Involved in Methyl Group Homeostasis by Regulating Transmethylation Kinetics and DNA Methylation

Yi-Cheng Wang, Feng-Yao Tang, Shih-Yin Chen, Yi-Ming Chen, and En-Pei Isabel Chiang 777

Transforming Growth Factor- β , a Whey Protein Component, Strengthens the Intestinal Barrier by Upregulating Claudin-4 in HT-29/B6 Cells

Nina A. Hering, Susanne Andres, Anja Fromm, Eric A. van Tol, Maren Amasheh, Joachim Mankertz, Michael Fromm, and Joerg D. Schulzke 783

■ GENOMICS, PROTEOMICS, AND METABOLOMICS

Dietary Fructooligosaccharides and Wheat Bran Elicit Specific and Dose-Dependent Gene Expression Profiles in the Proximal Colon Epithelia of Healthy Fischer 344 Rats

Qixuan Chen, Eleonora Swist, Jocelyn Beckstead, Judy Green, Fernando Matias, Jennifer Roberts, Cunye Qiao, Jayadev Raju, Stephen P. J. Brooks, and Kylie A. Scoggan 790

■ NUTRIENT PHYSIOLOGY, METABOLISM, AND NUTRIENT-NUTRIENT INTERACTIONS

Maternal Iron and Zinc Supplementation during Pregnancy Affects Body Weight and Iron Status in Rat Pups at Weaning

Mohammad B. Hossain, Shannon L. Kelleher, and Bo Lönnerdal 798

Low-pH Cola Beverages Do Not Affect Women's Iron Absorption from a Vegetarian Meal

Rachel Collings, Susan J. Fairweather-Tait, Jack R. Dainty, and Mark A. Roe 805

Slowly and Rapidly Digested Fat Emulsions Are Equally Satiating but Their Triglycerides Are Differentially Absorbed and Metabolized in Humans

Jennifer B. Keogh, Tim J. Wooster, Matthew Golding, Li Day, Bärbel Otto, and Peter M. Clifton 809

Exchanging Saturated Fatty Acids for (n-6) Polyunsaturated Fatty Acids in a Mixed Meal May Decrease Postprandial Lipemia and Markers of Inflammation and Endothelial Activity in Overweight Men

Christiaan J. Masson and Ronald P. Mensink 816

Fortification Iron as Ferrous Sulfate Plus Ascorbic Acid Is More Rapidly Absorbed Than As Sodium Iron EDTA but Neither Increases Serum Nontransferrin-Bound Iron in Women

Barbara Troesch, Ines Egli, Christophe Zeder, Richard F. Hurrell, and Michael B. Zimmermann 822

Ascorbic Acid Offsets the Inhibitory Effect of Bioactive Dietary Polyphenolic Compounds on Transepithelial Iron Transport in Caco-2 Intestinal Cells	828
Eun-Young Kim, Soo-Kyung Ham, Daniel Bradke, Qianyi Ma, and Okhee Han	
Moderate Vitamin B-6 Restriction Does Not Alter Postprandial Methionine Cycle Rates of Remethylation, Transmethylation, and Total Transsulfuration but Increases the Fractional Synthesis Rate of Cystathionine in Healthy Young Men and Women	835
Yvonne Lamers, Bonnie Coats, Maria Ralat, Eoin P. Quinlivan, Peter W. Stacpoole, and Jesse F. Gregory	
High-Dose Vitamin D Supplements Are Not Associated with Linear Growth in a Large Finnish Cohort	843
Elina Hyppönen, Mohammad Fararouei, Ulla Sovio, Anna-Liisa Hartikainen, Anneli Pouta, Claire Robertson, John C. Whittaker, and Marjo-Riitta Jarvelin	
Parenteral Administration of L-Arginine Enhances Fetal Survival and Growth in Sheep Carrying Multiple Fetuses	849
Arantza Lassala, Fuller W. Bazer, Timothy A. Cudd, Sujay Datta, Duane H. Keisler, M. Carey Satterfield, Thomas E. Spencer, and Guoyao Wu	
Mammalian Target of Rapamycin Complex 1 Activation Is Required for the Stimulation of Human Skeletal Muscle Protein Synthesis by Essential Amino Acids	856
Jared M. Dickinson, Christopher S. Fry, Micah J. Drummond, David M. Gundersen, Dillon K. Walker, Erin L. Glynn, Kyle L. Timmerman, Shaheen Dhanani, Elena Volpi, and Blake B. Rasmussen	
■ NUTRITION AND DISEASE	
A Dietary Mixture Containing Fish Oil, Resveratrol, Lycopene, Catechins, and Vitamins E and C Reduces Atherosclerosis in Transgenic Mice	863
Lars Verschuren, Peter Y. Wielinga, Wim van Duyvenvoorde, Samira Tijani, Karin Toet, Ben van Ommen, Teake Kooistra, and Robert Kleemann	
A Probiotic Mixture Including Galactooligosaccharides Decreases Fecal β-Glucosidase Activity but Does Not Affect Serum Enterolactone Concentration in Men during a Two-Week Intervention	870
Riina A. Kekkonen, Reetta Holma, Katja Hatakka, Tarja Suomalainen, Tuija Poussa, Herman Adlercreutz, and Riitta Korpela	
Sodium Intake Is Associated with Carotid Artery Structure Alterations and Plasma Matrix Metalloproteinase-9 Upregulation in Hypertensive Adults	877
Maria C. S. Ferreira-Sae, José A. A. Cipolli, Marília E. Cornélio, José R. Matos-Souza, Maruska N. Fernandes, Roberto Schreiber, Felipe O. Costa, Kleber G. Franchini, Roberta C. Rodrigues, Maria C. Gallani, and Wilson Nadruz Jr	
Fecal Butyrate Levels Vary Widely among Individuals but Are Usually Increased by a Diet High in Resistant Starch	883
Alexandra L. McOrist, Rosalind B. Miller, Anthony R. Bird, Jennifer B. Keogh, Manny Noakes, David L. Topping, and Michael A. Conlon	
■ NUTRIENT REQUIREMENTS AND OPTIMAL NUTRITION	
Carbohydrate Ingestion during Endurance Exercise Improves Performance in Adults	890
John Temesi, Nathan A. Johnson, Jacqueline Raymond, Catriona A. Burdon, and Helen T. O'Connor	
■ NUTRITIONAL EPIDEMIOLOGY	
Mild but Not Light or Severe Food Insecurity Is Associated with Obesity among Brazilian Women	898
Gustavo Velásquez-Melendez, Michael M. Schüssel, Alexandre S. Brito, Antonio A. M. Silva, José D. Lopes-Filho, and Gilberto Kac	
Serum Antioxidant Status Is Associated with Metabolic Syndrome among U.S. Adults in Recent National Surveys	903
May A. Beydoun, Monal R. Shroff, Xiaoli Chen, Hind A. Beydoun, Youfa Wang, and Alan B. Zonderman	

Estimating Usual Food Intake Distributions by Using the Multiple Source Method in the EPIC-Potsdam Calibration Study

Jennifer Haubrock, Ute Nöthlings, Jean-Luc Volatier, Arnold Dekkers, Marga Ocké, Ulrich Harttig, Anne-Kathrin Illner, Sven Knüppel, Lene F. Andersen, and Heiner Boeing, on behalf of the European Food Consumption Validation Consortium 914

Dietary Patterns Are Associated with Different Indexes of Adiposity and Obesity in an Urban Mexican Population

Edgar Denova-Gutiérrez, Susana Castañón, Juan O. Talavera, Mario Flores, Nayeli Macías, Sonia Rodríguez-Ramírez, Yvonne N. Flores, and Jorge Salmerón 921

Adult Food Intake Patterns Are Related to Adult and Childhood Socioeconomic Status

Helle Hare-Bruun, Per Togo, Lars Bo Andersen, and Berit Lilienthal Heitmann 928

■ COMMUNITY AND INTERNATIONAL NUTRITION

A Micronutrient-Fortified Food Enhances Iron and Selenium Status of Zambian Infants but Has Limited Efficacy on Zinc

Rosalind S. Gibson, Emmanuel Kafwembe, Sydney Mwanza, Laura Gosset, Karl B. Bailey, Anne Mullen, Kathy Baisley, and Suzanne Filteau 935

Iron Status of Women Is Associated with the Iron Concentration of Potable Groundwater in Rural Bangladesh

Rebecca D. Merrill, Abu Ahmed Shamim, Hasmot Ali, Nusrat Jahan, Alain B. Labrique, Kerry Schulze, Parul Christian, and Keith P. West Jr 944

■ NUTRITIONAL IMMUNOLOGY

Ovine Serum Immunoglobulin Has Immunomodulatory Effects in Growing Rats Gavaged with *Salmonella enteritidis*

Prabhu Balan, Kyoung-Sik Han, Kay Rutherford-Markwick, Harjinder Singh, and Paul J. Moughan 950

Vitamin A Modifies the Intestinal Chemokine and Cytokine Responses to Norovirus Infection in Mexican Children

Kurt Z. Long, Coralith Garcia, GwangPyo Ko, Jose I. Santos, Abdullah Al Mamun, Jorge L. Rosado, Herbert L. DuPont, and Nanda Nathakumar 957

Supplementation with a Fish Oil-Enriched, High-Protein Medical Food Leads to Rapid Incorporation of EPA into White Blood Cells and Modulates Immune Responses within One Week in Healthy Men and Women

Joyce Faber, Marloes Berkhout, Arjan P. Vos, John W. C. Sijben, Philip C. Calder, Johan Garssen, and Ardy van Helvoort 964

Prebiotic Oligosaccharides Reduce Proinflammatory Cytokines in Intestinal Caco-2 Cells via Activation of PPAR γ and Peptidoglycan Recognition Protein 3

Marwa Zenhom, Ayman Hyder, Michael de Vrese, Knut J. Heller, Thomas Roeder, and Jürgen Schrezenmeir 971

Probiotic *Lactobacillus casei* Shirota Supplementation Does Not Modulate Immunity in Healthy Men with Reduced Natural Killer Cell Activity

Stephanie Seifert, Achim Bub, Charles M. A. P. Franz, and Bernhard Watzl 978

■ LETTER TO THE EDITOR

Response to Vitamin D Intake: From the Antarctic to the Institute of Medicine

Scott M. Smith, Sara R. Zwart, Robert J. Ploutz-Snyder, and James P. Locke 985

Announcements

987

Supplement: Antioxidant Activity of Polyphenols and Cardiovascular Risk—Application of the PASSCLAIM Criteria

The Biological Relevance of Direct Antioxidant Effects of Polyphenols for Cardiovascular Health in Humans Is Not Established

Peter C. H. Hollman, Aedin Cassidy, Blandine Comte, Marina Heinonen, Myriam Richelle, Elke Richling, Mauro Serafini, Augustin Scalbert, Helmut Sies, and Stéphane Vidry

989S

Supplement: Putting the Whole Grain Puzzle Together: Health Benefits Associated with Whole Grain—Summary of American Society for Nutrition 2010 Satellite Symposium

Putting the Whole Grain Puzzle Together: Health Benefits Associated with Whole Grains—Summary of American Society for Nutrition 2010 Satellite Symposium

Satya S. Jonnalagadda, Lisa Harnack, Rui Hai Liu, Nicola McKeown, Chris Seal, Simin Liu, and George C. Fahey

1011S

Cover image: Fluorescence microscopy image of the base of human small intestinal villi extending into the crypts of Lieberkühn, shown as circular arrangement of enterocytes stained with Draq5 (blue) to reveal their nuclei. Adjacent epithelial cells lining crypt are sealed together by apical tight junction protein complexes containing occludin (*red*). See Critical Review, pages 769–76 in this issue. Image: Dr. Jurgen Karczewski, Host-Microbe Interactomics Group, Wageningen University, NL, used with permission.