

**PAGE SPECIAL ISSUE: INTERNATIONAL CONFERENCE ON THERMOELECTRICS 2011**

- 977 Quasiharmonic Vibrational Properties of TiNiSn from Ab Initio Phonons  
*Daehyun Wee, Boris Kozinsky, Barbara Pavan, and Marco Fornari*
- 984 Thin Thermoelectric Generator System for Body Energy Harvesting  
*Krishna T. Settaluri, Hsinyi Lo, and Rajeev J. Ram*
- 989 Top-Down Silicon Nanowire-Based Thermoelectric Generator: Design and Characterization  
*Y. Li, K. Buddhharaju, N. Singh, and S.J. Lee*
- 993 Computational Study on the Thermal Influence of the Components of a Thermoelectric Ice Maker on Ice Production  
*A. Rodríguez, D. Astrain, A. Martínez, and J.G. Vián*
- 999 Performance Study of a Double-Pass Thermoelectric Solar Air Collector with Flat-Plate Reflectors  
*C. Lertsatitthanakorn, M. Rungsriyopas, A. Therdyothin, and S. Saponronnarit*
- 1004 A Resistance Ratio Analysis for CoSb<sub>3</sub>-Based Thermoelectric Unicouples  
*Soon-Mok Choi, Kyoung-Hun Kim, Seong-Min Jeong, Hyoung-Seuk Choi, Young Soo Lim, Won-Seon Seo, and Il-Ho Kim*
- 1011 Trend for Thermoelectric Materials and Their Earth Abundance  
*R. Amatyia and R.J. Ram*
- 1020 Metal-Matrix Nanocomposites with Tailored Coefficients of Thermal Expansion for Improved Thermomechanical Reliability  
*J.E. Trujillo, J.W. Kim, E.H. Lan, S. Sharratt, Y.S. Ju, and B. Dunn*
- 1024 Waste Heat Recovery from a Marine Waste Incinerator Using a Thermoelectric Generator  
*N.R. Kristiansen, G.J. Snyder, H.K. Nielsen, and L. Rosendahl*
- 1030 High-Temperature Thermoelectric Properties of p-Type Yb-Filled Skutterudite Nanocomposites with FeSb<sub>2</sub> Nanoinclusions  
*Chen Zhou, Jeffery Sakamoto, and Donald Morelli*
- 1036 Development of Skutterudite Thermoelectric Materials and Modules  
*J.Q. Guo, H.Y. Geng, T. Ochi, S. Suzuki, M. Kikuchi, Y. Yamaguchi, and S. Ito*
- 1043 A Thermoelectric Generation System and Its Power Electronics Stage  
*Junling Gao, Kai Sun, Longxian Ni, Min Chen, Zhengdong Kang, Li Zhang, Yan Xing, and Jianzhong Zhang*
- 1051 High-Temperature Stability of Thermoelectric Skutterudite In<sub>0.25</sub>Co<sub>3</sub>FeSb<sub>12</sub>  
*Kwan-Ho Park, Sin-Wook You, Soon-Chul Ur, Il-Ho Kim, Soon-Mok Choi, and Won-Seon Seo*
- 1057 Thermoelectric and Mechanical Properties of Novel Hot-Extruded PbTe n-Type Material  
*D. Vasilevskiy, R.A. Masut, and S. Turenne*
- 1062 Improving the Testing of Power Generation Modules and Resulting Performance Projections  
*Michael Spry*
- 1071 Doping Effects on Thermoelectric Properties in the Mg<sub>2</sub>Sn System  
*Soon-Mok Choi, Tae Ho An, Won-Seon Seo, Chan Park, Il-Ho Kim, and Sun-Uk Kim*
- 1077 Preparation and Thermoelectric Properties of Polycrystalline In<sub>4</sub>Sn<sub>3-x</sub> by Mechanical Alloying and Hot Pressing  
*Jun-You Yang, Jin Wu, Gen Li, Jian-Sheng Zhang, and Jiangying Peng*
- 1081 Computational Study on Temperature Control Systems for Thermoelectric Refrigerators  
*D. Astrain, A. Martínez, J. Gorraiz, A. Rodríguez, and G. Pérez*





- 1091 Enhanced Thermoelectric Performance and Thermal Stability in  $\beta$ -Zn<sub>4</sub>Sb<sub>3</sub> by Slight Pb-Doping  
*S.Y. Wang, X.Y. She, G. Zheng, F. Fu, H. Li, and X.F. Tang*
- 1100 Thermoelectric Properties of Sn-Substituted AgPb<sub>m</sub>SbTe<sub>m+2</sub> via the Route of Mechanical Alloying and Plasma-Activated Sintering  
*Jin Wu, Jun-You Yang, Jian-Sheng Zhang, Gen Li, Jiang-Ying Peng, Ye Xiao, Liang-Wei Fu, and Qiong-Zhen Liu*
- 1105 Transverse-Type Short-Circuited Thermoelements  
*L.I. Anatyshuk and R.R. Kobylyansky*
- 1111 Semiconductor Thermoelectric Converters with Improved Precision  
*L.I. Anatyshuk, V.I. Bodnaruk, and D.D. Tashchuk*
- 1115 Energy Potential of Permeable Segmented Thermoelements in Cooling Mode  
*L.I. Anatyshuk and R.G. Cherkez*
- 1120 Thermoelectric Properties of Trisubstituted Skutterudite Co<sub>4</sub>Sb<sub>11</sub>Ge<sub>1-x-y</sub>Te<sub>x</sub>Se<sub>y</sub> Compounds  
*Bo Duan, Pengcheng Zhai, Lisheng Liu, and Qingjie Zhang*
- 1125 Thermoelectric Properties of Co<sub>1-x</sub>Rh<sub>x</sub>Si<sub>0.98</sub>B<sub>0.02</sub> Alloys  
*Hui Sun and Donald T. Morelli*
- 1130 Thermoelectric Properties of Selenospinel Cu<sub>6</sub>Fe<sub>4</sub>Sn<sub>12</sub>Se<sub>32</sub>  
*Koichiro Suekuni, Masaru Kunii, Hirotaka Nishiata, Michihiro Ohta, Atsushi Yamamoto, and Mikio Koyano*
- 1134 Flight Test Results of a Thermoelectric Energy Harvester for Aircraft  
*D. Samson, M. Kluge, T. Fuss, U. Schmid, and Th. Becker*
- 1138 Electrochemical Deposition and Characterization of Thermoelectric Ternary (Bi<sub>x</sub>Sb<sub>1-x</sub>)<sub>2</sub>Te<sub>3</sub> and Bi<sub>2</sub>(Te<sub>1-y</sub>Se<sub>y</sub>)<sub>3</sub> Thin Films  
*Yi Ma, Waruna Wijesekara, and Anders E.C. Palmqvist*
- 1147 Effects of Cobalt Substitution for Fe on the Thermoelectric Properties of *p*-Type CeFe<sub>4-x</sub>Co<sub>x</sub>Sb<sub>12</sub> Skutterudites  
*G.J. Tan, S.Y. Wang, Y.G. Yan, H. Li, and X.F. Tang*
- 1153 Bloating in (Pb<sub>0.95</sub>Sn<sub>0.05</sub>Te)<sub>0.92</sub>(PbS)<sub>0.08</sub>-0.055%PbI<sub>2</sub> Thermoelectric Specimens as a Result of Processing Conditions  
*Jennifer E. Ni, Eldon D. Case, Ryan Stewart, Chun-I. Wu, Timothy P. Hogan, and Mercuri G. Kanatzidis*
- 1159 Structural and Thermoelectric Properties of Ba<sub>3</sub>Cu<sub>x</sub>Si<sub>23-x</sub>Ge<sub>23</sub> (4.5 ≤ *x* ≤ 7)  
*X. Yan, M. Falmbigl, S. Laumann, A. Grytsiv, E. Bauer, P. Rogl, and S. Paschen*
- 1165 Enhancement of Thermoelectric Figure of Merit for Bi<sub>0.5</sub>Sb<sub>1.5</sub>Te<sub>3</sub> by Metal Nanoparticle Decoration  
*Kyu-Hyoung Lee, Hyun-Sik Kim, Sang-Il Kim, Eun-Sung Lee, Sang-Mock Lee, Jong-Soo Rhyee, Jae-Yong Jung, Il-Ho Kim, Yifeng Wang, and Kunihito Koumoto*
- 1170 Development of a Measurement Method for the Thermal Conductivity of a Thick Film Prepared by a Screen-Printing Technique  
*Ju Hyung We, Heon Bok Lee, Sun Jin Gim, Gyung Soo Kim, Kukjoo Kim, Kyung Cheol Choi, Onejae Sul, and Byung Jin Cho*
- 1177 Low-Temperature Physical Properties of Ba<sub>3</sub>Ni<sub>x</sub>Ge<sub>46-x</sub> (*x* = 3, 4, 6)  
*Jingtao Xu, Jiazhen Wu, Satoshi Heguri, Gang Mu, Yoichi Tanabe, and Katsumi Tanigaki*
- 1181 Influence of ZnO Inclusions on the Low-Temperature Thermoelectric Properties of CoSb<sub>3</sub>  
*C. Chubilleau, B. Lenoir, P. Masschelein, A. Dauscher, and C. Godart*
- 1186 Improvement of Cooling Performance of a Compact Thermoelectric Air Conditioner Using a Direct Evaporative Cooling System  
*W. Tipsaenporm, C. Lertsatitthanakorn, B. Bubphachot, M. Rungsiyopas, and S. Soponronnarit*
- 1193 Thermoelectric Properties of Melt-Spun Zn<sub>x</sub>Sb<sub>3</sub> Ribbons  
*M. Hasaka, T. Morimura, and H. Nakashima*
- 1199 Thermoelectric Properties of Ce<sub>1-x</sub>Sc<sub>x</sub>Pd<sub>3</sub>  
*Stephen R. Boona and Donald T. Morelli*
- 1205 Thermoelectric Property Dependence on Performance of Peltier Current Leads Under Overcurrent Conditions  
*Toshio Kawahara, Masahiko Emoto, Makoto Hamabe, Hirofumi Watanabe, Yury Ivanov, Jian Sun, and Satarou Yamaguchi*

- 1210 Room-Temperature Mechanical Properties and Slow Crack Growth Behavior of Mg<sub>2</sub>Si Thermoelectric Materials  
*Robert D. Schmidt, Eldon D. Case, Jesse Giles III, Jennifer E. Ni, and Timothy P. Hogan*
- 1217 Microstructures and Thermoelectric Properties of Sintered Ca<sub>3</sub>Co<sub>4</sub>O<sub>9</sub>-Based Oxide  
*Takao Morimura, Masayuki Hasaka, Shin-ichiro Kondo, Hiromichi Nakashima, and Hisamitsu Maeda*
- 1222 Effect of GaSb Addition on the Thermoelectric Properties of Mg<sub>2</sub>Si<sub>0.5</sub>Sn<sub>0.5</sub> Solid Solutions  
*Z.L. Du, G.Y. Jiang, Y. Chen, H.L. Gao, T.J. Zhu, and X.B. Zhao*
- 1227 Effect of Surface Preparation on Mechanical Properties of Ni Contacts on Polycrystalline (Bi<sub>1-x</sub>Sb<sub>x</sub>)<sub>2</sub>(Te<sub>1-y</sub>Se<sub>y</sub>)<sub>3</sub> Alloys  
*S. Kashi, M.K. Keshavarz, D. Vasilevskiy, R.A. Masut, and S. Turenne*
- 1232 Improved Thermoelectric Performance in Cu-Based Ternary Chalcogenides Using S for Se Substitution  
*Eric J. Skoug, Jeffrey D. Cain, and Donald T. Morelli*
- 1237 Three-Dimensional Bi<sub>2</sub>Te<sub>3</sub> Nanocrystallites Embedded in 2D Bi<sub>2</sub>Te<sub>3</sub> Films Grown by MOCVD  
*HyunWoo You, Seung Hyub Baek, Chang Kyo Kim, Ho-Ki Lyeo, Chan Park, and Jin-Sang Kim*
- 1242 Maximum Power Point Tracking Controller for Thermoelectric Generators with Peak Gain Control of Boost DC-DC Converters  
*Jungyong Park and Shiho Kim*
- 1247 A Power-Generation Test for Oxide-Based Thermoelectric Modules Using *p*-Type Ca<sub>3</sub>Co<sub>4</sub>O<sub>9</sub> and *n*-Type Ca<sub>0.9</sub>Nd<sub>0.1</sub>MnO<sub>3</sub> Legs  
*Chang-Hyun Lim, Soon-Mok Choi, Won-Seon Seo, and Hyung-Ho Park*
- 1256 Development of a Thermal Buffering Device to Cope with Temperature Fluctuations for a Thermoelectric Power Generator  
*Kuniaki Mizuno, Kazunori Sawada, Takashi Nemoto, and Tsutomu Iida*
- 1263 Effect of Nano-ZrW<sub>2</sub>O<sub>8</sub> on the Thermoelectric Properties of Bi<sub>35</sub>Sb<sub>15</sub>/ZrW<sub>2</sub>O<sub>8</sub> Composites  
*Min Zhou, Zhen Chen, Xinxin Chu, and Laifeng Li*
- 1267 *In Situ* Growth of a Yb<sub>2</sub>O<sub>3</sub> Layer for Sublimation Suppression for Yb<sub>14</sub>MnSb<sub>11</sub> Thermoelectric Material for Space Power Applications  
*James A. Nesbitt, Elizabeth J. Opila, and Michael V. Nathal*
- 1274 Methodology for Minimizing Losses for the Harman Technique at High Temperatures  
*R. McCarty, J. Thompson, J. Sharp, A. Thompson, and J. Bierschenk*
- 1280 Microstructure and Thermoelectric Properties of Screen-Printed Thick Films of Misfit-Layered Cobalt Oxides with Ag Addition  
*Ngo Van Nong, Alfred Junio Samson, Nini Pryds, and Søren Linderoth*
- 1286 Thermopower of a 2D Electron Gas in Suspended AlGaAs/GaAs Heterostructures  
*M. Schmidt, G. Schneider, Ch. Heyn, A. Stemann, and W. Hansen*
- 1290 Model of Heat Exchangers for Waste Heat Recovery from Diesel Engine Exhaust for Thermoelectric Power Generation  
*Chad Baker, Prem Vuppulluri, Li Shi, and Matthew Hall*
- 1298 New Configurations of Micro Plate-Fin Heat Sink to Reduce Coolant Pumping Power  
*A. Rezania and L.A. Rosendahl*
- 1305 On the Interplay Between Electrical Conductivity and Seebeck Coefficient in Ultra-Narrow Silicon Nanowires  
*Neophytos Neophytou and Hans Kosina*
- 1312 Power Generation Characteristics of Mg<sub>2</sub>Si Uni-Leg Thermoelectric Generator  
*T. Nemoto, T. Iida, J. Sato, T. Sakamoto, T. Nakajima, and Y. Takanashi*
- 1317 Single-Crystal Growth of Bi-Sb-Te Thermoelectric Materials by Halide Chemical Vapor Transport Technique  
*Mikio Koyano, Junya Tanaka, Koichiro Suekuni, and Tomoki Ariga*
- 1322 Sputtered *p*-Type Sb<sub>2</sub>Te<sub>3</sub>/(Bi,Sb)<sub>2</sub>Te<sub>3</sub> Soft Superlattices Created by Nanoalloying  
*M. Winkler, X. Liu, J.D. König, L. Kirste, H. Böttner, W. Bensch, and L. Kienle*
- 1332 Submicron Mapping of Thermal Conductivity of Thermoelectric Thin Films  
*Hsinyi Lo and Rajeev J. Ram*



- 1337 Synthesis and Thermoelectric Properties of LAST System Bulk Materials: Substitution of Sulfur for Tellurium  
*Zhao-xin Yu, Jing-Feng Li, Bo-Ping Zhang, and Zhen-Hua Ge*
- 1343 Thermal Effect of Ceramic Substrate on Heat Distribution in Thermoelectric Generators  
*A. Rezanian and L.A. Rosendahl*
- 1348 Effects of Heavy Element Substitution on Electronic Structure and Lattice Thermal Conductivity of Fe<sub>2</sub>VAl Thermoelectric Material  
*Yuichi Terazawa, Masashi Mikami, Takashi Itoh, and Tsunehiro Takeuchi*
- 1354 Thermoelectric Properties of Indium-Selenium Nanocomposites Prepared by Mechanical Alloying and Spark Plasma Sintering  
*Ju-Hyuk Yim, Hyung-Ho Park, Ho Won Jang, Myong-Jae Yoo, Dong-Su Paik, Seung Hyub Baek, and Jin-Sang Kim*
- 1360 Optimization of Bulk Thermoelectrics: Influence of Cu Insertion in Ag<sub>3.6</sub>Mo<sub>9</sub>Se<sub>11</sub>  
*Malika Colin, Tong Zhou, Bertrand Lenoir, Anne Dauscher, Rabih Al Rahal Al Orabi, Patrick Gougeon, Michel Potel, Philippe Baranek, and Christopher Semprimoschnig*
- 1365 Thermoelectric Performance of AgPb<sub>x</sub>SbTe<sub>20</sub> ( $x = 17$  to  $23$ ) Bulk Materials Derived from Large-Particle Raw Materials  
*Zong-Yue Li and Jing-Feng Li*
- 1370 Calculation of Nonlinear Thermoelectric Coefficients of InAs<sub>1-x</sub>Sb<sub>x</sub> Using Monte Carlo Method  
*Ramin Banan Sadeghian, Je-Hyeong Bahk, Zhixi Bian, and Ali Shakouri*
- 1376 Design and Optimization of Gradient Interface of Ba<sub>0.4</sub>In<sub>0.4</sub>Co<sub>4</sub>Sb<sub>12</sub>/Bi<sub>2</sub>Te<sub>2.7</sub>Se<sub>0.3</sub> Thermoelectric Materials  
*Gang Liu, Wen-Yu Zhao, Hong-Yu Zhou, Ping Wei, Jian Yu, Ding-Guo Tang, and Qing-Jie Zhang*
- 1383 Direct Measurement of Absolute Thermoelectric Coefficients Through Electronic Fluctuations  
*Patrick L. Garrity and Whitney V. Radosti*
- 1389 Effect of Cr and Fe Substitution on the Transport Properties of the Nowotny Chimney-Ladder MnSi<sub>5</sub> ( $1.73 < \delta < 1.75$ ) Compounds  
*V. Ponnambalam and Donald T. Morelli*
- 1395 Effect of In Impurity on Thermoelectric Properties of Ba and In Double-Filled *n*-Type Skutterudite Materials  
*Jian Yu, Wen-Yu Zhao, Xuan Yang, Ping Wei, Ding-Guo Tang, and Qing-Jie Zhang*
- 1401 Effect of NiTe Nano-inclusions on Thermoelectric Properties of Bi<sub>2</sub>Te<sub>3</sub>  
*S. Sumithra, Nathan J. Takas, Westly M. Nolting, Sanshrut Sapkota, Pierre F.P. Poudeu, and Kevin L. Stokes*
- 1408 Effect of Sintering on the Thermoelectric Transport Properties of Bulk Nanostructured Bi<sub>0.5</sub>Sb<sub>1.5</sub>Te<sub>3</sub> Pellets Prepared by Chemical Synthesis  
*Jeffrey S. Dyck, Baodong Mao, Junwei Wang, Steven Dorroh, and Clemens Burda*
- 1414 Effects of Excess Sb on Thermoelectric Properties of Barium and Indium Double-Filled Iron-Based *p*-Type Skutterudite Materials  
*Jian Yu, Wen-yu Zhao, Ping Wei, Ding-guo Tang, and Qing-jie Zhang*
- 1421 Electrical Resistance and Seebeck Coefficient in PbTe Nanowires  
*Sitangshu Bhattacharya and Ramesh Chandra Mallik*
- 1429 Examination of a Thermally Viable Structure for an Unconventional Uni-Leg Mg<sub>2</sub>Si Thermoelectric Power Generator  
*Tatsuya Sakamoto, Tsutomu Iida, Yutaka Taguchi, Shota Kurosaki, Yusuke Hayatsu, Keishi Nishio, Yasuo Kogo, and Yoshifumi Takanashi*
- 1436 Facile Preparation and Characterization of Poly (3-hexylthiophene)/Multiwalled Carbon Nanotube Thermoelectric Composite Films  
*Y. Du, S.Z. Shen, W.D. Yang, S. Chen, Z. Qin, K.F. Cai, and P.S. Casey*
- 1442 Four-Wire Resistance Measurements of a Bismuth Nanowire Encased in a Quartz Template Utilizing Focused Ion Beam Processing  
*Masayuki Murata, Hiroya Yamamoto, Fumiaki Tsunemi, Yasuhiro Hasegawa, and Takashi Komine*
- 1450 *In Situ* Synthesis and Thermoelectric Properties of Cr-Doped Higher Manganese Silicides  
*Guo Liu, Qingmei Lu, Xin Zhang, Jiuxing Zhang, and Yongjun Shi*
- 1456 Interfacial Step Structure at a (0001) Basal Twin in Bi<sub>2</sub>Te<sub>3</sub>  
*D.L. Medlin and N.Y.C. Yang*
- 1465 Molecular Dynamics Simulation of the Mechanical Properties of Single-Crystal Bulk Mg<sub>2</sub>Si  
*Rui Yu, Pengcheng Zhai, Guodong Li, and Lisheng Liu*

- 1470 Molecular Dynamics Study of the Mechanical Properties of Single-Crystal Bulk  $\beta$ -Zn<sub>4</sub>Sb<sub>3</sub>: Vacancy and Temperature Effects  
*Guodong Li, Yao Li, Qingjie Zhang, Lisheng Liu, and Pengcheng Zhai*
- 1476 New Layered Intergrowths in the Sn-Mo-Se System  
*M. Beekman, G. Cogburn, C. Heideman, S. Rouvimov, P. Zschack, W. Neumann, and D.C. Johnson*
- 1481 Printed Se-Doped MA *n*-Type Bi<sub>2</sub>Te<sub>3</sub> Thick-Film Thermoelectric Generators  
*Deepa Madan, Alic Chen, Paul K. Wright, and James W. Evans*
- 1487 Residual Strength Degradation of CoSb<sub>3</sub> Skutterudite Compounds Under Low-Cycle Fatigue Loading  
*Zhong-wei Ruan, Li-sheng Liu, Peng-cheng Zhai, Peng-fei Wen, and Qing-jie Zhang*
- 1493 Sb<sub>2</sub>Te<sub>3</sub> and Bi<sub>2</sub>Te<sub>3</sub> Thin Films Grown by Room-Temperature MBE  
*Z. Aabdin, N. Peranio, M. Winkler, D. Bessas, J. König, R.P. Hermann, H. Böttner, and O. Eibl*
- 1498 Seebeck Enhancement Through Miniband Conduction in III-V Semiconductor Superlattices at Low Temperatures  
*Je-Hyeong Bahk, Ramin Banan Sadeghian, Zhixi Bian, and Ali Shakouri*
- 1504 Silicon-Rich Higher Manganese Silicides for Thermoelectric Applications  
*Yatir Sadia and Yaniv Gelbstein*
- 1509 Single-Crystalline, Stoichiometric Bi<sub>2</sub>Te<sub>3</sub> Nanowires for Transport in the Basal Plane  
*N. Peranio, E. Leister, W. Töllner, O. Eibl, and K. Nielsch*
- 1513 Relation between Seebeck Coefficient and Lattice Parameters of (Ca<sub>2-*y*</sub>Sr<sub>*y*</sub>CoO<sub>3</sub>)<sub>2</sub>CoO<sub>2</sub>  
*O-Jong Kwon, Wook Jo, Sejin Yoon, Dongmin Shin, Hyunwoo You, Kyeongdal Choi, Jin-Sang Kim, and Chan Park*
- 1519 The Effect of Annealing in Controlled Vapor Pressure on the Thermoelectric Properties of RF-Sputtered Bi<sub>2</sub>Te<sub>3</sub> Film  
*Hyo-Jung Kim, Ju-Hyuk Yim, Won Chel Choi, Chan Park, and Jin-Sang Kim*
- 1524 Validating Steady-State and Transient Modeling Tools for High-Power-Density Thermoelectric Generators  
*D.T. Crane, C.R. Korpipella, and V. Jovovic*
- 1535 Transport-Coefficient Dependence of Current-Induced Cooling Effect in a Two-Dimensional Electron Gas  
*Naomi Hirayama, Akira Endo, Kazuhiro Fujita, Yasuhiro Hasegawa, Naomichi Hatano, Hiroaki Nakamura, Ryōen Shirasaki, and Kenji Yonemitsu*
- 1540 Thermomagnetic Effect in the Quantum Hall System  
*Ryoen Shirasaki, Akira Endo, Naomichi Hatano, and Hiroaki Nakamura*
- 1546 Thermoelectric, Structural, and Mechanical Properties of Spark-Plasma-Sintered Submicro- and Microstructured *p*-Type Bi<sub>0.5</sub>Sb<sub>1.5</sub>Te<sub>3</sub>  
*N. Bomshtein, G. Spiridonov, Z. Dashevsky, and Y. Gelbstien*
- 1554 Thermoelectric Properties of Mn-Doped Cu<sub>2</sub>SnSe<sub>3</sub>  
*Xu Lu and Donald T. Morelli*
- 1559 Thermoelectric Properties of Electron-Doped SrMnO<sub>3</sub> Single Crystals with Perovskite Structure  
*T. Suzuki, H. Sakai, Y. Taguchi, and Y. Tokura*
- 1564 Thermoelectric Properties of Cold-Pressed Higher Manganese Silicides for Waste Heat Recovery  
*Xi Chen, Annie Weathers, Arden Moore, Jianshi Zhou, and Li Shi*
- 1573 Inorganic Colloidal Solution-Based Approach to Nanocrystal Synthesis of (Bi,Sb)<sub>2</sub>Te<sub>3</sub>  
*Rahul P. Gupta, Jeff Sharp, Adam Peng, Susanthri Perera, Clint Ballinger, Tao Zheng, and Bruce Gnade*
- 1579 Thermoelectric Properties of Pulsed Electric Current Sintered Samples of AgPb<sub>*m*</sub>SbSe<sub>17</sub> (*m* = 16 or 17)  
*Chun-I Wu, Ilyia Todorov, Mercuri G. Kanatzidis, Edward Timm, Eldon D. Case, Harold Schock, and Timothy P. Hogan*
- 1583 Dopant Distributions in PbTe-Based Thermoelectric Materials  
*Ivan D. Blum, Dieter Isheim, David N. Seidman, Jiaqing He, John Androulakis, Kanishka Biswas, Vinayak P. Dravid, and Mercuri G. Kanatzidis*



- 1589 Thermoelectric Performance of Sb- and La-Doped  $\text{Mg}_2\text{Si}_{0.5}\text{Ge}_{0.5}$   
*Xiaoyuan Zhou, Guoyu Wang, Hang Chi, Xianli Su, James R. Salvador, Wei Liu, Xinfeng Tang, and Ctirad Uher*
- 1595 Shock-Wave Consolidation of Nanostructured Bismuth Telluride Powders  
*Jan Beck, Manuel Alvarado, David Nemir, Mathew Nowell, Lawrence Murr, and Narasimha Prasad*
- 1601 Scavenging Elemental Sb Through Addition of  $\text{NbSb}_2$  to  $\text{Mm}_{0.9}\text{Fe}_{3.5}\text{Co}_{0.5}\text{Sb}_{12}$  Skutterudites  
*L. Zhang, C. Zhou, D. Morelli, and J. Sakamoto*
- 1606 Influence of Thermal Aging Phenomena on Thermoelectric Properties of Al-Substituted ZnO  
*Nina Vogel-Schäuble, Raphaël Dujardin, Anke Weidenkaff, and Myriam H. Aguirre*
- 1615 Thermal Cycling Effects on the Thermoelectric Properties of *n*-Type In,Ce-Based Skutterudite Compounds  
*Krishnendu Biswas, M.A. Subramanian, Morris S. Good, Kamandi C. Roberts, and Terry J. Hendricks*
- 1622 Progress Towards an Optimization Methodology for Combustion-Driven Portable Thermoelectric Power Generation Systems  
*Shankar Krishnan, Naveen K. Karri, Pawan K. Gogna, Jordan R. Chase, Jean-Pierre Fleurial, and Terry J. Hendricks*
- 1632 Low-Temperature Thermoelectric Properties of  $\text{Fe}_2\text{VAl}$  with Partial Cobalt Doping  
*Chang Liu and Donald T. Morelli*
- 1636 Levers for Thermoelectric Properties in Titania-Based Ceramics  
*Monika Backhaus-Ricoult, James R. Rustad, Deenamma Vargheese, Indrajit Dutta, and Kim Work*
- 1648 Lithium as an Interstitial Donor in Bismuth and Bismuth–Antimony Alloys  
*Christine M. Orovets, Audrey M. Chamoire, Hyungyu Jin, Bartłomiej Wiendlocha, and Joseph P. Heremans*
- 1653 Thermoelectric Energy Harvesting from Transient Ambient Temperature Gradients  
*André Moser, Metin Erd, Milos Kostic, Keith Cobry, Michael Kroener, and Peter Woias*
- 1662 Thermoelectric Properties of  $\text{TlGdQ}_2$  ( $Q = \text{Se}, \text{Te}$ ) and  $\text{Tl}_9\text{GdTe}_6$   
*Cheriyedath Raj Sankar, Savitree Bangarigadu-Sanasy, and Holger Kleinke*
- 1667 Scanning Seebeck Coefficient Measurement System for Homogeneity Characterization of Bulk and Thin-Film Thermoelectric Materials  
*Shiho Iwanaga and G. Jeffrey Snyder*
- 1675 Solid-State Synthesis and Thermoelectric Properties of Al-Doped  $\text{Mg}_2\text{Si}$   
*Sin-Wook You, Kwan-Ho Park, Il-Ho Kim, Soon-Mok Choi, Won-Seon Seo, and Sun-Uk Kim*
- 1680 Methods and Equipment for Quality Control of Thermoelectric Materials  
*L.I. Anatyshuk, N.V. Havrylyuk, and V.V. Lysko*
- 1686 Acoustic Optimization of Automotive Exhaust Heat Thermoelectric Generator  
*C.Q. Su, B.Q. Ye, X. Guo, and P. Hui*
- 1693 Thermal Optimization of the Heat Exchanger in the Vehicular Waste-Heat Thermoelectric Generations  
*C.Q. Su, W.W. Zhan, and S. Shen*
- 1698 A 42-V Electrical and Hybrid Driving System Based on a Vehicular Waste-Heat Thermoelectric Generator  
*Y.D. Deng, W. Fan, K. Ling, and C.Q. Su*
- 1706 Optimized Characterization of Thermoelectric Generators for Automotive Application  
*Dimitri Tatarinov, Daniel Wallig, and Georg Bastian*
- 1713 Thin-Film Thermoelectric Modules for Power Generation Using Focused Solar Light  
*Mizue Mizoshiri, Masashi Mikami, Kimihiro Ozaki, and Keizo Kobayashi*
- 1720 Improved Thermoelectric Properties in  $\text{Ga}_2\text{Te}_3$ -GaSb Vacancy Compounds  
*Hao Yang and Donald T. Morelli*
- 1725 Thermoelectric Performance of *p*-Type  $(\text{Bi}_{85}\text{Sb}_{15})_{1-x}\text{Sn}_x$  Materials Prepared by a Pressureless Sintering Technique  
*Zhen Chen, Min Zhou, Rongjin Huang, Chuanjun Huang, Chunmei Song, Yuan Zhou, and Laifeng Li*

- 1730 Thermoelectric Properties of Off-Stoichiometric Ti-Ni-Sn Half-Heusler Systems  
*Hirofumi Hazama, Masato Matsubara, and Ryoji Asahi*
- 1735 Organic Thermoelectric Materials Composed of Conducting Polymers and Metal Nanoparticles  
*Naoki Toshima, Nattha Jiravanichanun, and Hiromasa Marutani*
- 1743 Effect of Ru Substitution for Mn in the Si<sub>2</sub>Ti-Type Al-Mn-Si Alloy  
*Akio Yamamoto and Tsunehiro Takeuchi*
- 1749 A Novel Application of Thermoelectric Modules in an HVAC System Under Cold Climate Operation  
*Toru Okuma, Reinhard Radermacher, and Yunho Hwang*
- 1759 Feasibility Study on the Use of a Solar Thermoelectric Cogenerator Comprising a Thermoelectric Module and Evacuated Tubular Collector with Parabolic Trough Concentrator  
*L. Miao, M. Zhang, S. Tanemura, T. Tanaka, Y.P. Kang, and G. Xu*
- 1766 Effects of Fluid Directions on Heat Exchange in Thermoelectric Generators  
*Ryosuke O. Suzuki, Yuto Sasaki, Takeyuki Fujisaka, and Min Chen*
- 1771 Improvement of Electrical Contact Between TE Material and Ni Electrode Interfaces by Application of a Buffer Layer  
*Koya Arai, Masanori Matsubara, Yukie Sawada, Tatsuya Sakamoto, Tohru Kineri, Yasuo Kogo, Tsutomu Iida, and Keishi Nishio*
- 1778 Materials for Vehicular Thermoelectric Generators  
*L.I. Anatyshuk and R.V. Kuz*
- 1785 Modeling of Thermoelectric Properties of Magnesium Silicide (Mg<sub>2</sub>Si)  
*Nikhil Satyala and Daryoosh Vashaee*
- 1792 Nanostructure, Excitations, and Thermoelectric Properties of Bi<sub>2</sub>Te<sub>3</sub>-Based Nanomaterials  
*Z. Aabdin, N. Peranio, O. Eibl, W. Töllner, K. Nielsch, D. Bessas, R.P. Hermann, M. Winkler, J. König, H. Böttner, V. Pacheco, J. Schmidt, A. Hashibon, and C. Elsässer*
- 1799 The Effects of Thermoelectric Film Thickness on Performance of In-Plane Thermoelectric Modules  
*Akihiro Yamamoto, Harutoshi Hagino, Yoshihiro Hashimoto, and Koji Miyazaki*
- 1805 The Use of Transition-Metal Silicides to Reduce the Contact Resistance Between the Electrode and Sintered *n*-Type Mg<sub>2</sub>Si  
*Tatsuya Sakamoto, Tsutomu Iida, Yasuhiko Honda, Mitsuhiro Tada, Takeshi Sekiguchi, Keishi Nishio, Yasuo Kogo, and Yoshihumi Takanashi*
- 1811 Thermal Fatigue and Waste Heat Recovery via Thermoelectrics  
*Eldon D. Case*
- 1820 Thermoelectric Transport in InGaAs with High Concentration of Rare-Earth TbAs Embedded Nanoparticles  
*Ekaterina Selezneva, Laura E. Clinger, Ashok T. Ramu, Gilles Pernot, Trevor E. Buehl, Tela Favaloro, Je-Hyeong Bahk, Zhixi Bian, John E. Bowers, Joshua M.O. Zide, and Ali Shakouri*
- 1826 Thermoelectric Properties and *n*- to *p*-Type Conversion of Co-Doped ZrNiSn-Based Half-Heusler Alloys  
*Han-Hui Xie, Cui Yu, Bin He, Tie-Jun Zhu, and Xin-Bing Zhao*
- 1831 Thermoelectric Performance of ZnO:Al/ZnO:(Al,In) Quantum Well Multilayer Structures as a Function of Indium Composition and Band-Gap Offset at High Operating Temperatures  
*Sean Teehan, Harry Efstathiadis, and Pradeep Haldar*
- 1838 Potential Usage of Thermoelectric Devices in a High-Temperature Polymer Electrolyte Membrane (PEM) Fuel Cell System: Two Case Studies  
*Xin Gao, Min Chen, Søren Juhl Andreassen, and Søren Knudsen Kær*
- 1845 Scalable Cost/Performance Analysis for Thermoelectric Waste Heat Recovery Systems  
*Kazuaki Yazawa and Ali Shakouri*
- 1851 An Aqueous-Chemistry Approach to Nano-Bismuth Telluride and Nano-Antimony Telluride as Thermoelectric Materials  
*U. Pelz, K. Kaspar, S. Schmidt, M. Dold, M. Jäggle, A. Pfaadt, and H. Hillebrecht*
- ERRATUM**
- 1858 Erratum to: Top-Down Silicon Nanowire-Based Thermoelectric Generator: Design and Characterization  
*Y. Li, K. Buddharaju, N. Singh, and S.J. Lee*