

Journal of Propulsion and Power

VOLUME 28, NUMBER 3, MAY 2012

[View Abstracts](#)[Add to Favorites](#)[Email](#)[Download Citations](#)[Track Citations](#) [Select All](#)

- 453 **Heat Sink and Conversion of Catalytic Steam Reforming for Hydrocarbon Fuel**

[Lingyun Hou](#), [Zhen Jia](#), [Jingsong Gong](#), [Yifan Xhou](#), [Ying Piao](#)
[Citation](#) | [PDF \(468 KB\)](#) | [PDF Plus \(253 KB\)](#)

- 458 **Spatial Development and Temperature of Spark Kernels Exiting into Quiescent Air**

[David L. Blunck](#), [Barry V. Kiel](#), [Larry Goss](#), [Amy Lynch](#)
[Citation](#) | [PDF \(6663 KB\)](#) | [PDF Plus \(507 KB\)](#)

- 466 **Performance Evaluation of a Ramjet Model in a Pulse Facility at Mach 4.5**

[Giulio Riva](#), [Reggiori Adolfo](#), [Giambattista Daminelli](#)
[Citation](#) | [PDF \(4651 KB\)](#) | [PDF Plus \(689 KB\)](#)

- 477 **Mixing Augmentation with Cooled Pylon Injection in a Scramjet Combustor**

[Sang-Hyeon Lee](#)
[Citation](#) | [PDF \(11284 KB\)](#) | [PDF Plus \(597 KB\)](#)

- 486 **Study on Aeroramp Injector/Gas-Pilot Flame in a Supersonic Combustor**

[Baoxi Wei](#), [Xu Xu](#), [Shi Xinxing](#), [Yang Yang](#)
[Citation](#) | [PDF \(8740 KB\)](#) | [PDF Plus \(635 KB\)](#)

- 496 **Multistability and Loops-Coupled Hysteresis: Flight-Test Analysis on Error Detection of Inlet Start/Unstart**

[Tao Cui](#), [Xuegang He](#), [Daren Yu](#), [Shunlin Tang](#)
[Citation](#) | [PDF \(3100 KB\)](#) | [PDF Plus \(1442 KB\)](#)

- 504 **Plasma Actuator Blade Tip Clearance Flow Control in a Linear Turbine Cascade**

[Daniel Van Ness](#), [Thomas C. Corke](#), [Scott C. Morris](#)
[Citation](#) | [PDF \(5070 KB\)](#) | [PDF Plus \(778 KB\)](#)

- 517 **Control of Operation Mode Transition in Dual-Bell Nozzles with Film Cooling**

[Dzianis Proschanka](#), [Koichi Yonezawa](#), [Hidekazu Koga](#), [Yoshinobu](#)

[Tsujimoto, Tatsuya Kimura, Kazuhiko Yokota](#)
[Citation](#) | [PDF \(9022 KB\)](#) | [PDF Plus \(1149 KB\)](#)

- 530 **Experimental Testing and Numerical Simulations of Shrouded Plug-Nozzle Flowfields**
[Dheeraj Kapilavai, John Tapee, John Sullivan, John Sullivan, Charles L. Merkle, Thomas R. Wayman, Timothy R. Conners](#)
[Citation](#) | [PDF \(20805 KB\)](#) | [PDF Plus \(1197 KB\)](#)
- 545 **Rapid Analysis of Scramjet and Linear Plug Nozzles**
[Derek Dalle, Sean M. Torrez, James F. Driscoll](#)
[Citation](#) | [PDF \(903 KB\)](#) | [PDF Plus \(957 KB\)](#)
- 556 **Squealer Geometry Effects on Aerothermal Performance of Tip-Leakage Flow of Cavity Tips**
[Chao Zhou, Howard Hodson](#)
[Citation](#) | [PDF \(5505 KB\)](#) | [PDF Plus \(699 KB\)](#)
- 568 **Effects of Chamber Diameter on the Flowfield in Unielement Rocket Combustors**
[Chenzhou Lian, Charles L. Merkle, Guoping Xia](#)
[Citation](#) | [PDF \(22768 KB\)](#) | [PDF Plus \(1069 KB\)](#)
- 585 **Experimental Study Swirl Injector Dynamic Response Using a Hydromechanical Pulsator**
[Benjamin Ahn, Maksud Ismailov, Stephen Heister](#)
[Citation](#) | [PDF \(6798 KB\)](#) | [PDF Plus \(1039 KB\)](#)
- 596 **Velocity Coupling from Pulse-Test Firings**
[C. W. Rousseau, J. H. Knoetze](#)
[Citation](#) | [PDF \(409 KB\)](#) | [PDF Plus \(417 KB\)](#)
- 603 **Performance of Dimethyl Ether Arcjet Thrusters and its Dependence on Electrode Configurations**
[Muneyuki Maiguma, Takeshi Tachibana, Akira Kakami, Shinji Beppu](#)
[Citation](#) | [PDF \(451 KB\)](#) | [PDF Plus \(319 KB\)](#)
- 609 **Scaling of Efficiency with Applied Magnetic Field in Magnetoplasmadynamic Thrusters**
[Dan R. Lev, Edgar Choueiri](#)
[Citation](#) | [PDF \(1400 KB\)](#) | [PDF Plus \(419 KB\)](#)
- 617 **Laser-Induced Fluorescence Measurements of Product Penetration Within**

an Ultra-Compact-Combustor

[Stanislav Kostka](#), [Richard D. Branam](#), [Michael W. Renfro](#), [Patrick J. Lakusta](#), [James R. Gord](#), [Sukesh Roy](#)

[Citation](#) | [PDF \(2163 KB\)](#) | [PDF Plus \(586 KB\)](#)

625 NASA's Evolutionary Xenon Thruster (NEXT) Long-Duration Test Results

[Daniel Herman](#), [George C. Soulas](#), [Jonathan L. Van Noord](#), [Michael J. Patterson](#)

[Citation](#) | [PDF \(6680 KB\)](#) | [PDF Plus \(1777 KB\)](#)

636 Analysis of Thrust Characteristics of a Magnetic Sail in a Magnetized Solar Wind

[Hiroyuki Nishida](#), [Ikkoh Funaki](#)

[Citation](#) | [PDF \(5837 KB\)](#) | [PDF Plus \(513 KB\)](#)

642 Thrust Evaluation of a Magnetic Sail by Flux-Tube Model

[Yasumasa Ashida](#), [Ikkoh Funaki](#), [Hiroshi Yamakawa](#), [Yoshihiro Kajimura](#), [Hirotsgou Kojima](#)

[Citation](#) | [PDF \(7238 KB\)](#) | [PDF Plus \(647 KB\)](#)

652 Thrust and Attitude Evaluation of Magnetic Sail by Three-Dimensional Hybrid Particle-in-Cell Code

[Yoshihiro Kajimura](#), [Ikkoh Funaki](#), [Masaharu Matsumoto](#), [Iku Shinohara](#), [Hideyuki Usui](#), [Hiroshi Yamakawa](#)

[Citation](#) | [PDF \(13229 KB\)](#) | [PDF Plus \(1091 KB\)](#)

664 Power Density of a Bare Electrodynamic Tether Generator

[Claudio Bombardelli](#)

[Citation](#) | [PDF \(392 KB\)](#) | [PDF Plus \(399 KB\)](#)

668 Comparison of Flammability Characteristics of Paraffin Mixtures and Polyethylene

[Marcos I. A. Gemaque](#), [Fernando S. Costa](#)

[Citation](#) | [PDF \(2268 KB\)](#) | [PDF Plus \(361 KB\)](#)