

BIOLOGY *of* REPRODUCTION

Official Journal of the Society for
the Study of Reproduction

May 2013

VOLUME 88 NUMBER 5

- WORLD OF REPRODUCTIVE BIOLOGY** Article 109
- Commentary**
In the Ovary, the *Rhox* Library Is the Lender and Some Genes Are the Borrowers Article 127
James A. Dias
In this issue of *Biology of Reproduction*, Brown et al. demonstrate the role of the *Rhox* gene family in folliculogenesis.
- Location, Location, Location: How Does a Spermatogonium Know It Is a Spermatogonial Stem Cell (SSC)?** Article 132
Edward M. Eddy and Liang-Yu Chen
In this issue of *Biology of Reproduction*, de Rooij and van Beek describe a computer model simulating the population dynamics and interactions of SSCs and their descendants in and around the spermatogonial niche.
- Biosketch**
George Washington Corner Article 136
Roger G. Gosden
A biosketch of George Corner, MD, followed by a compilation of his lectures about the discovery of the ovum.
- Minireview**
Human Placental MicroRNAs and Preeclampsia Article 130
Dong-bao Chen and Wen Wang
Small noncoding microRNAs have major roles in human placental development and the pathogenesis of preeclampsia.
- In Memoriam**
Roy L. Butcher, Ph.D. 1930–2012 Article 134
- Environment**
Transgenerational Effects of Di-(2-ethylhexyl) Phthalate on Testicular Germ Cell Associations and Spermatogonial Stem Cells in Mice Article 112
Timothy J. Doyle, Jennifer L. Bowman, Veronica L. Windell, Derek J. McLean, and Kwan Hee Kim
Embryonic exposure of gestating F0-generation mouse dams to Di-(2-ethylhexyl) phthalate disrupts germ cell associations and decrease sperm count and motility in F3- and F4-generation offspring, and impairs spermatogonial stem cell function of F3-generation offspring.
- Female Reproductive Tract**
Caldesmon: New Insights for Diagnosing Endometriosis Article 122
Juliana Meola, Gabriela dos Santos Hidalgo, Julio Cesar Rosa e Silva, Lilian Eslaine Costa Mendes Silva, Claudia Cristina Paro Paz, and Rui Alberto Ferriani
Caldesmon could be a predictor of endometrial dysregulation in patients with endometriosis.
- Bovine Endometrial Stromal Cells Support Tumor Necrosis Factor Alpha-Induced Bovine Herpesvirus Type 4 Enhanced Replication** Article 135
Sarah Jacca, Valentina Franceschi, Angelo Colagiorgi, Martin Sheldon, and Gaetano Donofrio
Bovine herpesvirus type 4 (BoHV-4) uterine cell infection is exacerbated by TNF-alpha through the BoHV-4 *IE2* gene modulation.
- Gamete Biology**
Cyclin O Regulates Germinal Vesicle Breakdown in Mouse Oocytes Article 110
Jun-Yu Ma, Ying-Chun Ou-Yang, Yi-Bo Luo, Zhen-Bo Wang, Yi Hou, Zhi-Ming Han, Zhonghua Liu, Heide Schatten, and Qing-Yuan Sun
Cyclin O knock-down inhibits CDC2 (Tyr15) dephosphorylation and oocyte meiotic resumption, reversed by cyclin B1 but not CDC25B.

- Comparative Importance of Fatty Acid Beta-Oxidation to Nuclear Maturation, Gene Expression, and Glucose Metabolism in Mouse, Bovine, and Porcine Cumulus Oocyte Complexes** Article 111
Melissa Paczkowski, Elena Silva, William B. Schoolcraft, and Rebecca L. Krisher
 Inhibition of fatty acid beta-oxidation (FAO) inhibits nuclear maturation and alters gene expression and glucose consumption in mouse, bovine, and porcine cumulus oocyte complexes.
- Maternal Diabetes Causes Alterations of DNA Methylation Statuses of Some Imprinted Genes in Murine Oocytes.** Article 117
Zhao-Jia Ge, Xing-Wei Liang, Lei Guo, Qiu-Xia Liang, Shi-Ming Luo, Ya-Peng Wang, Yan-Chang Wei, Zhi-Ming Han, Heide Schatten, and Qing-Yuan Sun
 Methylation of maternal imprinting gene *Peg3* is adversely affected in oocytes by maternal diabetes in a time-dependent manner, but methylation in the oocytes of offspring is normal.
- Prss37 Is Required for Male Fertility in the Mouse.** Article 123
Chunling Shen, Ying Kuang, Jianbing Liu, Jingsheng Feng, Xiaoyi Chen, Wenting Wu, Jun Chi, Lingyun Tang, Yifei Wang, Jian Fei, and Zhugang Wang
 We provide evidence that Prss37 is exclusively expressed in the elongating spermatids during spermiogenesis and demonstrate for the first time that Prss37 is required for male fertility in the mouse.
- Effects of Dppa3 on DNA Methylation Dynamics During Primordial Germ Cell Development in Mice.** Article 125
Hiroyuki Nakashima, Tohru Kimura, Yoshiaki Kaga, Tsunetoshi Nakatani, Yoshiyuki Seki, Toshinobu Nakamura, and Toru Nakano
 Dppa3 deficiency leads to inefficient conversion of 5-methylcytosine to 5-hydroxymethylcytosine at retrotransposon loci during primordial germ cell development.
- Ovary**
- Regulated Expression of *Rhox8* in the Mouse Ovary: Evidence for the Role of Progesterone and RHOX5 in Granulosa Cells** Article 126
Raquel M. Brown, Matthew G. Davis, Kanako Hayashi, and James A. MacLean, II
 The *Rhox* homeobox gene cluster is differentially expressed during folliculogenesis in mice; RHOX8 is a potential candidate for translating progesterone signaling into successful ovulation.
- Identification of Differentially Expressed miRNAs and Their Potential Targets During Fish Ovarian Development** Article 128
Amélie Juanchich, Aurélie Le Cam, Jérôme Montfort, Yann Guiguen, and Julien Bobe
 Differentially expressed miRNAs during fish ovarian development target genes involved in oogenesis, steroidogenesis, gonadotropic control of oocyte growth, ovulation, oocyte hydration, and oocyte developmental competence.
- Pregnancy**
- Arginine, Leucine, and Glutamine Stimulate Proliferation of Porcine Trophectoderm Cells Through the MTOR-RPS6K-RPS6-EIF4EBP1 Signal Transduction Pathway** Article 113
Jinyoung Kim, Gwonhwa Song, Guoyao Wu, Haijun Gao, Gregory A. Johnson, and Fuller W. Bazer,
 Arginine, leucine, and glutamine stimulate proliferation of pTr cells through the MTOR-RPS6K-RPS6-EIF4EBP1 signal transduction pathway.
- Transcriptional and Functional Adaptations of Human Endothelial Cells to Physiological Chronic Low Oxygen** Article 114
Yi-Zhou Jiang, Kai Wang, Yan Li, Cai-Feng Dai, Ping Wang, Christina Kendzioriski, Dong-Bao Chen, and Jing Zheng
 Physiological chronic low oxygen alters transcription and function of human endothelial cells.
- Secreted Phosphoprotein 1 Expression in Endometrium and Placental Tissues of Hyperproliferic Large White and Meishan Gilts** Article 120
Silvia C. Hernandez, Charis O. Hogg, Yvon Billon, Marie-Pierre Sanchez, Jean-Pierre Bidanel, Christopher S. Haley, Alan L. Archibald, and Cheryl J. Ashworth
 Uterine and placental secreted phosphoprotein 1 is higher in Meishan compared to hyperproliferic Large White pigs and, within litters, differs between uteri and placentas supplying different-sized fetuses.

Leucine-Rich Diet Improves the Serum Amino Acid Profile and Body Composition of Fetuses from Tumor-Bearing Pregnant Mice	Article 121
<i>Laís Rosa Viana and Maria Cristina C. Gomes-Marcondes</i>	
Tumor growth produces direct and indirect deleterious effects on fetuses from tumor-bearing dams, and a leucine-rich diet minimized some of the deleterious effects of the tumor burden on fetal health.	

Reproductive Technology

Efficient Embryo Transfer in the Common Marmoset Monkey (<i>Callithrix jacchus</i>) with a Reduced Transfer Volume: A Non-Surgical Approach with Cryopreserved Late-Stage Embryos	Article 115
<i>Hidetoshi Ishibashi, Hideyuki H. Motohashi, Mami Kumon, Kazuhiro Yamamoto, Hironori Okada, Takashi Okada, and Kazuhiko Seki</i>	
It is essential to reduce the transfer volume to 1 microliter or less in marmoset embryo transfer.	

Proteomic Profiles of the Embryonic Chorioamnion and Uterine Caruncles in Buffaloes (<i>Bubalus bubalis</i>) with Normal and Retarded Embryonic Development	Article 119
--	-------------

Maria Luisa Balestrieri, Bianca Gasparrini, Gianluca Neglia, Domenico Vecchio, Maria Strazzullo, Alfonso Giovane, Luigi Servillo, Luigi Zicarelli, Michael J. D'Occhio, and Giuseppe Campanile

The chorioamniotons and caruncles from pregnant buffaloes with embryos undergoing either normal or retarded development have different proteomic profiles associated with antioxidant protection, protease inhibition, and protein folding.

Xenogeneic Transfer of Adult Quail (<i>Coturnix coturnix</i>) Spermatogonial Stem Cells to Embryonic Chicken (<i>Gallus gallus</i>) Hosts: A Model for Avian Conservation	Article 129
--	-------------

Mandi Roe, Nastassja McDonald, Barbara Durrant, and Thomas Jensen

Adult quail spermatogonial stem cells will colonize the embryonic gonadal ridge in host chickens.

Testis

Three Testis-Specific Paralogous Serine Proteases Play Different Roles in Murine Spermatogenesis and Are Involved in Germ Cell Survival During Meiosis	Article 118
---	-------------

Ryoma Yoneda, Takayuki Takahashi, Hitoshi Matsui, Naoharu Takano, Yuko Hasebe, Katsueki Ogiwara, and Atsushi P. Kimura

Three testis-specific paralogous Prss/Tessp proteases are expressed differently during murine spermatogenesis, and two of these are required for germ cell survival in in vitro spermatogenesis.

Production of Live Offspring from Testicular Tissue Cryopreserved by Vitrification Procedures in Japanese Quail (<i>Coturnix japonica</i>)	Article 124
---	-------------

Jianan Liu, Kimberly M. Cheng, and Frederick G. Silversides

The function of Japanese quail testicular tissue can be cryopreserved by vitrification procedures and recovered by ectopic allogeneic transplantation.

Computer Simulation of the Rodent Spermatogonial Stem Cell Niche	Article 131
---	-------------

Dirk G. de Rooij and Maria E.A.B. van Beek

Development of a computer simulation program to study self-renewal and differentiation in the spermatogonial stem cell niche.

SOX8 Regulates Permeability of the Blood-Testes Barrier That Affects Adult Male Fertility in the Mouse . . .	Article 133
---	-------------

Ajeet Pratap Singh, Connie A. Cummings, Yuji Mishina, and Trevor K. Archer

The SOX8 protein, produced by Sertoli cells, is essential for adult male fertility via regulation of claudin-3 expression and maintenance of the blood-testes barrier.

Toxicology

Mechanisms of Angiogenic Suppression in Uteri Exposed to Diethylstilbestrol Neonatally in the Mouse . . .	Article 116
--	-------------

Shuji Yamashita, Akihiko Kudo, Hayato Kawakami, and Yasunori Okada

Neonatal DES exposure down-regulates the expression of angiogenic factors and suppresses angiogenesis in the endometrial stroma.