
































- 
- Effect of nanoparticle phosphors on the luminous efficiency in PDP** 
- Khorami, A. ; Ghanbari, S. ; Mofidi, M.  
Publication Year: 2010 , Page(s): 2023 - 2026  
Cited by: Papers (1)
-  |  |  Quick Abstract |  PDF (146 KB) | |  HTML
- 
- Adaptive unsymmetrical dither region to improve dynamic false contour in PDPs** 
- Jin-Fu Huang ; Xiao-Ning Zhang, Z. ; Yao-Gong Wang ; Zhen-Tao Tu ; Zhi-Hu Liang  
Publication Year: 2010 , Page(s): 2027 - 2031
-  |  |  Quick Abstract |  PDF (171 KB) | |  HTML
- 
- A 1.62/2.7Gbps clock and data recovery with pattern based frequency detector for displayport** 
- Kyungyoul Min ; Changsik Yoo  
Publication Year: 2010 , Page(s): 2032 - 2036  
Cited by: Papers (3)
-  |  |  Quick Abstract |  PDF (1635 KB) | |  HTML
- 
- Cost effective design and implementation of scanning-based LED backlight for LCD module** 
- Shih-Chang Hsia ; Jung-Ming Kuo  
Publication Year: 2010 , Page(s): 2037 - 2042  
Cited by: Papers (2)
-  |  |  Quick Abstract |  PDF (379 KB) | |  HTML
- 
- Programmed driving waveforms for quick-response liquid powder displays** 
- Chang-Jing Yang ; Yung-Fang Chen  
Publication Year: 2010 , Page(s): 2043 - 2046  
Cited by: Papers (1)
-  |  |  Quick Abstract |  PDF (170 KB) | |  HTML
- 
- A high-efficient sustain driver with low current stresses for plasma displays** 
- Sangshin Kwak  
Publication Year: 2010 , Page(s): 2047 - 2053

Cited by: [Papers \(3\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(1267 KB\)](#) | |  [HTML](#)

**A local dimming algorithm for low power LCD TVs using edge-type LED backlight** 

[Hyunsuk Cho](#) ; [Oh-Kyong Kwon](#)

Publication Year: 2010 , Page(s): 2054 - 2060

Cited by: [Papers \(6\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(1289 KB\)](#) | |  [HTML](#)

**A power-of-two FFT algorithm and structure for DRM receiver** 

[Le Jin](#) ; [Lin Liang](#)

Publication Year: 2010 , Page(s): 2061 - 2066

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(173 KB\)](#) | |  [HTML](#)

**Performance analysis of orthogonal signaling over fast fading channels** 

[Brown, T.](#) ; [Wang, M.](#)

Publication Year: 2010 , Page(s): 2067 - 2071

 |  |  [Quick Abstract](#) |  [PDF \(194 KB\)](#) | |  [HTML](#)

**Low-cost FFT processor for DVB-T2 applications** 

[Shin-Yo Lin](#) ; [Chin-Long Wey](#) ; [Ming-Der Shieh](#)

Publication Year: 2010 , Page(s): 2072 - 2079

Cited by: [Papers \(3\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(634 KB\)](#) | |  [HTML](#)

**Modeling of the transmission delay in bluetooth piconets under serial port profile** 

[Morón, M.J.](#) ; [Luque, R.](#) ; [Casilari, E.](#)

Publication Year: 2010 , Page(s): 2080 - 2085

 |  |  [Quick Abstract](#) |  [PDF \(170 KB\)](#) | |  [HTML](#)

**Natural language-based user interface for mobile devices with limited resources** 

[So-Young Park](#) ; [Jeunghyun Byun](#) ; [Hae-Chang Rim](#) ; [Do-Gil Lee](#) ; [Heuseok Lim](#)

Publication Year: 2010 , Page(s): 2086 - 2092

Cited by: [Patents \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(236 KB\)](#) | |  [HTML](#)

**[A novel feedforward active noise control structure with spectrum-tuning for residual noise](#)** 

[Hua Bao](#) ; [Panahi, I.M.S.](#)

Publication Year: 2010 , Page(s): 2093 - 2097

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(461 KB\)](#) | |  [HTML](#)

**[An improved timing estimation method for OFDM systems](#)** 

[Abdzadeh-Ziabari, H.](#) ; [Shayesteh, M.G.](#) ; [Manaffar, M.](#)

Publication Year: 2010 , Page(s): 2098 - 2105

Cited by: [Papers \(2\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(403 KB\)](#) | |  [HTML](#)

**[Impulse noise mitigation techniques for xDSL systems in a real environment](#)** 

[Fantacci, R.](#) ; [Tani, A.](#) ; [Tarchi, D.](#)

Publication Year: 2010 , Page(s): 2106 - 2114

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(252 KB\)](#) | |  [HTML](#)

**[Performance evaluation of mobile DAB receivers in enhanced packet mode](#)** 

[Zhang, L.](#) ; [Thibault, L.](#)

Publication Year: 2010 , Page(s): 2115 - 2122

 |  |  [Quick Abstract](#) |  [PDF \(293 KB\)](#) | |  [HTML](#)

**[UWB-FSK: performance tradeoffs for high and low complexity receivers](#)** 

[Ramírez-Mireles, F.](#) ; [Cooklev, T.](#) ; [Paredes-Orozco, G.A.](#)

Publication Year: 2010 , Page(s): 2123 - 2131

Cited by: [Papers \(2\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(171 KB\)](#) | |  [HTML](#)

**[Design and analyses of a fast feed-forward blind equalizer with two-stage generalized multilevel modulus and soft decision-](#)** 

## directed scheme for high-order QAM cable downstream receivers

Chih-Peng Fan ; Chia-Hao Fang ; Hao-Jun Hu ; Wan-Ning Hsu

Publication Year: 2010 , Page(s): 2132 - 2140

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(283 KB\)](#) | |  [HTML](#)


**Synchronization for TDS-OFDM over multipath fading channels** 

Lifeng He ; Fang Yang ; Chao Zhang ; Zhaocheng Wang

Publication Year: 2010 , Page(s): 2141 - 2147

Cited by: [Papers \(9\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(336 KB\)](#) | |  [HTML](#)

**An efficient iterative frequency domain equalization for ATSC DTV receiver** 

Chuan Wu ; Dan Bao ; Xiaoyang Zeng ; Bo Shen

Publication Year: 2010

Cited by: [Papers \(1\)](#)
































 |  |  [Quick Abstract](#) |  [PDF \(931 KB\)](#) | |  [HTML](#)

**Low-cost integer frequency offset estimation for OFDM-based DRM receiver**

Eu-Suk Shim ; Joonbeom Kim ; Young-Hwan You

Publication Year: 2010 , Page(s): 2155 - 2160

 |  |  [Quick Abstract](#) |  [PDF \(198 KB\)](#) | |  [HTML](#)

- 
- Optimised transmission of H.264 scalable video streams over multiple paths in mobile networks** 
- Nightingale, J. ; Qi Wang ; Grecos, C.  
Publication Year: 2010 , Page(s): 2161 - 2169  
Cited by: [Papers \(5\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(636 KB\)](#) | |  [HTML](#)
- 
- Low complexity time-domain channel and delay spread estimation for OFDM systems** 
- Mo Zhu ; Awoseyila, A.B. ; Evans, B.G.  
Publication Year: 2010 , Page(s): 2170 - 2177  
Cited by: [Papers \(2\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(122 KB\)](#) | |  [HTML](#)
- 
- Collision detection and response method for markerless camera-based games using motion boundary estimation** 
- Daeho Lee ; Kiseo Park ; Youngtae Park  
Publication Year: 2010 , Page(s): 2178 - 2184
-  |  |  [Quick Abstract](#) |  [PDF \(544 KB\)](#) | |  [HTML](#)
- 
- Energy-efficient cooperative communication for data transmission in wireless sensor networks** 
- Weiwei Fang ; Feng Liu ; Fangnan Yang ; Lei Shu ; Nishio, S.  
Publication Year: 2010 , Page(s): 2185 - 2192  
Cited by: [Papers \(9\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(132 KB\)](#) | |  [HTML](#)
- 
- Collaborative streaming-based media content sharing in WiFi-enabled home networks** 
- Hayoung Yoon ; JongWon Kim  
Publication Year: 2010 , Page(s): 2193 - 2200  
Cited by: [Papers \(8\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(2088 KB\)](#) | |  [HTML](#)
- 
- IP based home automation system** 
- Alkar, A.Z. ; Roach, J. ; Baysal, D.  
Publication Year: 2010 , Page(s): 2201 - 2207  
Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(754 KB\)](#) | |  [HTML](#)

**LSWD: localization scheme for wireless sensor networks using directional antenna** 

Baoli Zhang ; Fengqi Yu

Publication Year: 2010 , Page(s): 2208 - 2216

Cited by: [Papers \(5\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(866 KB\)](#) | |  [HTML](#)

**Video transmission over MANETs with enhanced quality of experience** 

Goudarzi, P. ; Hosseinpour, M.

Publication Year: 2010 , Page(s): 2217 - 2225

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(288 KB\)](#) | |  [HTML](#)

**UPnP network bridge for supporting interoperability through non-IP channels** 

Young Min Baek ; Sang Chul Ahn ; Yong-Moo Kwon

Publication Year: 2010 , Page(s): 2226 - 2232

 |  |  [Quick Abstract](#) |  [PDF \(458 KB\)](#) | |  [HTML](#)

**TCP at last: reconsidering TCP's role for wireless entertainment centers at home** 

Marfia, G. ; Rocchetti, M.

Publication Year: 2010 , Page(s): 2233 - 2240

Cited by: [Papers \(10\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(469 KB\)](#) | |  [HTML](#)

**Interactive remote control of legacy home appliances through a virtually wired sensor network** 

Hyung-Bong Lee ; Lae-Jeong Park ; Sung-Wook Park ; Tae-Yun Chung ; Jung-Ho Moon

Publication Year: 2010 , Page(s): 2241 - 2248

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(510 KB\)](#) | |  [HTML](#)

**Dynamic cluster header selection and conditional re-clustering for wireless sensor networks** 

Jinsuk Baek ; Sun Kyong An ; Fisher, P.

Publication Year: 2010 , Page(s): 2249 - 2257

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(1700 KB\)](#) | |  [HTML](#)

**Energy-efficient and rapid time synchronization for wireless sensor networks** 

Byoung-Kug Kim ; Sung-Hwa Hong ; Kyeong Hur ; Doo-Seop Eom

Publication Year: 2010 , Page(s): 2258 - 2266

Cited by: [Papers \(3\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(353 KB\)](#) | |  [HTML](#)

**A fast iterative localized re-authentication protocol for heterogeneous mobile networks** 

Shen-Ho Lin ; Jung-Hui Chiu ; Gwo-Ruey Lee

Publication Year: 2010 , Page(s): 2267 - 2275

 |  |  [Quick Abstract](#) |  [PDF \(21335 KB\)](#) | |  [HTML](#)

**Soft handover mechanism based on RTP parallel transmission for mobile IPTV services** 

Qi Qi ; Yufei Cao ; Tonghong Li ; Xiaomin Zhu ; Jingyu Wang

Publication Year: 2010 , Page(s): 2276 - 2281

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(422 KB\)](#) | |  [HTML](#)

**A wireless sensor node SoC with a profiled power management unit for IR controllable digital consumer devices** 

Dong-Sun Kim ; Byung-Soo Kim ; Kwang-Ho Won ; Min-Soo Kang

Publication Year: 2010 , Page(s): 2282 - 2287

Cited by: [Papers \(1\)](#) | [Patents \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(2258 KB\)](#) | |  [HTML](#)





































**Wireless sensor network based E-health system ?? implementation and experimental results** 

Hairong Yan ; Hongwei Huo ; Youzhi Xu ; Gidlund, M.

Publication Year: 2010 , Page(s): 2288 - 2295

Cited by: [Papers \(9\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(305 KB\)](#) | |  [HTML](#)

- 
- Automatic media data rating based on class probability output networks** 
- Rosas, H. ; Rhee Man Kil ; SeungWan Han  
Publication Year: 2010 , Page(s): 2296 - 2302
-  |  |  ▶ [Quick Abstract](#) |  [PDF \(166 KB\)](#) | |  [HTML](#)
- 
- Efficient peer-to-peer overlay networks for mobile IPTV services** 
- Dongil Kim ; Eunsam Kim ; Choonhwa Lee  
Publication Year: 2010 , Page(s): 2303 - 2309
-  |  |  ▶ [Quick Abstract](#) |  [PDF \(399 KB\)](#) | |  [HTML](#)
- 
- An intelligent agent-based routing structure for mobile sinks in WSNs** 
- Jae-Wan Kim ; Jeong-Sik In ; Kyeong Hur ; Jin-Woo Kim ; Doo-Seop Eom  
Publication Year: 2010 , Page(s): 2310 - 2316  
Cited by: [Papers \(3\)](#)
-  |  |  ▶ [Quick Abstract](#) |  [PDF \(657 KB\)](#) | |  [HTML](#)
- 
- Zero-latency scheduling scheme for broadcasting popular movies** 
- Bo-Sheng Wu ; Chen-Chiung Hsieh ; Yu-Wei Chen  
Publication Year: 2010 , Page(s): 2317 - 2323
-  |  |  ▶ [Quick Abstract](#) |  [PDF \(195 KB\)](#) | |  [HTML](#)
- 
- An audiovisual content recorder using a removable hard disk drive** 
- Hori, Y. ; Kanai, Y. ; Taima, K.  
Publication Year: 2010 , Page(s): 2324 - 2329
-  |  |  ▶ [Quick Abstract](#) |  [PDF \(92 KB\)](#) | |  [HTML](#)
- 
- Scene aware smooth playout control for portable media players over random VBR channels** 
- Han Hu ; Jian Yang ; Zilei Wang ; Hongsheng Xi ; Xumin Wu  
Publication Year: 2010 , Page(s): 2330 - 2338
-  |  |  ▶ [Quick Abstract](#) |  [PDF \(184 KB\)](#) | |  [HTML](#)
-



 **A secure control protocol for USB mass storage devices**

Fuw-Yi Yang ; Tzung-Da Wu ; Su-Hui Chiu

Publication Year: 2010 , Page(s): 2239 - 2343

Cited by: [Papers \(3\)](#) | [Patents \(1\)](#)

[📁](#) | [©](#) | [🔍](#) [▶ Quick Abstract](#) | [📄 PDF \(184 KB\)](#) | | [🌐 HTML](#)






































---

 **Reducing computational overhead of flash translation layer with hashed page tables**

Ilhoon Shin

Publication Year: 2010 , Page(s): 2344 - 2349

[📁](#) | [©](#) | [🔍](#) [▶ Quick Abstract](#) | [📄 PDF \(326 KB\)](#) | | [🌐 HTML](#)

- 
- A new code compression method for FOTA** 
- Youngcheul Wee ; Taehwa Kim  
Publication Year: 2010 , Page(s): 2350 - 2354
-  |  |  ▶ Quick Abstract |  PDF (106 KB) | |  HTML
- 
- An efficient garbage collection for flash memory-based virtual memory systems** 
- Seunggu Ji ; Dongkun Shin  
Publication Year: 2010 , Page(s): 2355 - 2363  
Cited by: Papers (1)
-  |  |  ▶ Quick Abstract |  PDF (2873 KB) | |  HTML
- 
- Apply relay recording and video segment annotation for IPTV network personal video recorder** 
- Meng-Huang Lee  
Publication Year: 2010 , Page(s): 2364 - 2372
-  |  |  ▶ Quick Abstract |  PDF (219 KB) | |  HTML
- 
- Advanced signal processing technique for storage systems** 
- Jun Lee ; Schouhamer Immink, Kees A.  
Publication Year: 2010 , Page(s): 2373 - 2379
-  |  |  ▶ Quick Abstract |  PDF (312 KB) | |  HTML
- 
- Correction to "Adaptive reduced multivariate polynomial equalizers for blu-ray disc channels"** 
- Sooyong Choi ; Gyuyeol Kong  
Publication Year: 2010 , Page(s): 2380 - 2381
-  |  |  ▶ Quick Abstract |  PDF (144 KB) | |  HTML
- 
- Design and implementation of a disk energy saving scheme for media players which use hybrid disks** 
- Wanhyung Ryu ; Minseok Song  
Publication Year: 2010 , Page(s): 2382 - 2386
-  |  |  ▶ Quick Abstract |  PDF (203 KB) | |  HTML
- 
- LBM: a low-power buffer management policy for heterogeneous storage in mobile consumer devices** 

Hyojung Kang ; Junseok Park ; Hyokyung Bahn

Publication Year: 2010 , Page(s): 2387 - 2392

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(114 KB\)](#) | |  [HTML](#)

**Write-aware buffer management policy for performance and durability enhancement in NAND flash memory** 

Xin Jin ; Sanghyuk Jung ; Yong Ho Song

Publication Year: 2010 , Page(s): 2393 - 2399

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(603 KB\)](#) | |  [HTML](#)

**A 90° phase-shift DLL with closed-loop DCC for high-speed mobile DRAM interface** 

Dong Hoon Jung ; Kyung Ho Ryu ; Seong-Ook Jung

Publication Year: 2010 , Page(s): 2400 - 2405

Cited by: [Papers \(2\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(1453 KB\)](#) | |  [HTML](#)

**A power-efficient digital amplifier using input dependent bit flipping for portable audio systems** 

Ki-Ho Kong ; Yong-Wook Kim ; Suki Kim ; Kwang-Hyun Baek

Publication Year: 2010 , Page(s): 2406 - 2410

 |  |  [Quick Abstract](#) |  [PDF \(1184 KB\)](#) | |  [HTML](#)

**Improvement of radiation performance of mobile phone antenna using parasitic element** 

Jeong-Ho Lee ; Jong-Gwan Yook

Publication Year: 2010 , Page(s): 2411 - 2415

Cited by: [Papers \(2\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(714 KB\)](#) | |  [HTML](#)
















**A low complexity partial transmit sequence scheme by use of dummy signals for PAPR reduction in OFDM systems** 

Varahram, P. ; Al-Azzo, W.F. ; Ali, B.M.

Publication Year: 2010 , Page(s): 2416 - 2420

Cited by: [Papers \(7\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(312 KB\)](#) | |  [HTML](#)


- 
- Low complexity embedded compression algorithm for reduction of memory size and bandwidth requirements in the JPEG2000 encoder** 
- Chang-Hoon Son ; Ji-Won Kim ; Sung-Gun Song ; Seong-Mo Park ; Young-Min Kim  
Publication Year: 2010 , Page(s): 2421 - 2429  
Cited by: Papers (1)
-  |  |  Quick Abstract |  PDF (185 KB) | |  HTML
- 
- Reduced complexity H.264/AVC transrating based on frequency selectivity for high-definition streams** 
- Deknudt, C. ; Corlay, P. ; Bacquet, A.-S. ; Zwingelstein-Colin, M. ; Coudoux, F.  
Publication Year: 2010 , Page(s): 2430 - 2437  
Cited by: Papers (2)
-  |  |  Quick Abstract |  PDF (238 KB) | |  HTML
- 
- Interactive progressive image transmission for realtime applications** 
- Nak-Kwon Lim ; Dae-Young Kim ; Haeyoung Lee  
Publication Year: 2010 , Page(s): 2438 - 2444
-  |  |  Quick Abstract |  PDF (4678 KB) | |  HTML
- 
- A novel sequential-color RGB-LED backlight driving system with local dimming control and dynamic bus voltage regulation** 
- Yi-Hua Liu ; Zong-Zhen Yang ; Shun-Chung Wang  
Publication Year: 2010 , Page(s): 2445 - 2452  
Cited by: Papers (4)
-  |  |  Quick Abstract |  PDF (1128 KB) | |  HTML
- 
- Single-channel speech separation using phase-based methods** 
- Yun-Kyung Lee ; In Sung Lee ; Oh-Wook Kwon  
Publication Year: 2010 , Page(s): 2453 - 2459  
Cited by: Papers (3)
-  |  |  Quick Abstract |  PDF (505 KB) | |  HTML
- 
- Stereoscopic video coding with asymmetric luminance and chrominance qualities** 
- Feng Shao ; Gangyi Jiang ; Xu Wang ; Mei Yu ; Ken Chen

Publication Year: 2010 , Page(s): 2460 - 2468

Cited by: [Papers \(5\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(482 KB\)](#) | |  [HTML](#)

---

**High quality deinterlacing using content adaptive vertical temporal filtering** 

[Jonghwa Lee](#) ; [Chulhee Lee](#)

Publication Year: 2010 , Page(s): 2469 - 2474

Cited by: [Papers \(2\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(377 KB\)](#) | |  [HTML](#)

---

**Brightness preserving dynamic fuzzy histogram equalization** 

[Sheet, D.](#) ; [Garud, H.](#) ; [Suveer, A.](#) ; [Mahadevappa, M.](#) ; [Chatterjee, J.](#)

Publication Year: 2010 , Page(s): 2475 - 2480

Cited by: [Papers \(8\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(764 KB\)](#) | |  [HTML](#)

---

**Efficient cooperative transmission for wireless 3D HD video transmission in 60GHz channel** 

[Wonjin Lee](#) ; [Kwangseok Noh](#) ; [Saejoon Kim](#) ; [Jun Heo](#)

Publication Year: 2010 , Page(s): 2481 - 2488

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(1644 KB\)](#) | |  [HTML](#)

---

**2D-plus-depth based resolution and frame-rate up-conversion technique for depth video** 

[Jinwook Choi](#) ; [Dongbo Min](#) ; [Kwanghoon Sohn](#)

Publication Year: 2010 , Page(s): 2489 - 2497

Cited by: [Papers \(5\)](#) | [Patents \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(2346 KB\)](#) | |  [HTML](#)

---

**Rapid eye detection method for non-glasses type 3D display on portable devices** 

[Byeoung-su Kim](#) ; [Hyun Lee](#) ; [Whoi-Yul Kim](#)

Publication Year: 2010 , Page(s): 2498 - 2505

Cited by: [Papers \(5\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(483 KB\)](#) | |  [HTML](#)

---



## A hardware framework for smart speaker control of home audio network



Taewan Kim ; Sang Hoon Hong ; Yunmo Chung

Publication Year: 2010 , Page(s): 2506 - 2510

Cited by: [Papers \(2\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(778 KB\)](#) | |  [HTML](#)

































## Measuring the effectiveness of bad pixel detection algorithms using the ROC curve
































Premachandran, V. ; Kakarala, R.

Publication Year: 2010 , Page(s): 2511 - 2519

Cited by: [Papers \(2\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(444 KB\)](#) | |  [HTML](#)

- 
- Person authentication using face, teeth and voice modalities for mobile device security** 
- Dong-Ju Kim ; Kwang-Woo Chung ; Kwang-Seok Hong  
Publication Year: 2010 , Page(s): 2678 - 2685  
Cited by: [Papers \(8\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(1259 KB\)](#) | |  [HTML](#)
- 
- Design and implementation of a socket with zero standby power using a photovoltaic array** 
- Cheng-Hung Tsai ; Ying-Wen Bai ; Chun-An Chu ; Chih-Yu Chung ; Ming-Bo Lin  
Publication Year: 2010 , Page(s): 2686 - 2693  
Cited by: [Papers \(11\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(3387 KB\)](#) | |  [HTML](#)
- 
- An efficient error concealment algorithm for H.264/AVC using regression modeling-based prediction** 
- Chen, X. ; Chung, Y.Y. ; Changseok Bae ; Xiangjian He ; Wei-Chang Yeh  
Publication Year: 2010 , Page(s): 2694 - 2701  
Cited by: [Papers \(3\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(926 KB\)](#) | |  [HTML](#)
- 
- Denoising-based clustering algorithms for segmentation of low level salt-and-pepper noise-corrupted images** 
- Sulaiman, S.N. ; Isa, N.A.M.  
Publication Year: 2010 , Page(s): 2702 - 2710
-  |  |  [Quick Abstract](#) |  [PDF \(880 KB\)](#) | |  [HTML](#)
- 
- Interpolation scheme using simple multi-directional filters for fractional-pel motion compensation** 
- Do Quan ; Yo-Sung Ho  
Publication Year: 2010 , Page(s): 2711 - 2718
-  |  |  [Quick Abstract](#) |  [PDF \(148 KB\)](#) | |  [HTML](#)

- Skin tone enhancement and background change for mobile phones** 
- Jong-Ho Lee ; Jin Heo ; Yo-Sung Ho  
Publication Year: 2010 , Page(s): 2719 - 2726  
Cited by: Papers (1)
-  |  |  Quick Abstract |  PDF (847 KB) | |  HTML
- 
- Image contrast enhancement using bi-histogram equalization with neighborhood metrics** 
- Sengee, N. ; Sengee, A. ; Heung-Kook Choi  
Publication Year: 2010 , Page(s): 2727 - 2734  
Cited by: Papers (8)
-  |  |  Quick Abstract |  PDF (1244 KB) | |  HTML
- 
- Intra mode selection method for depth maps of 3D video based on rendering distortion modeling** 
- De Silva, D.V.S.X. ; Fernando, W.A.C. ; Worrall, S.T.  
Publication Year: 2010 , Page(s): 2735 - 2740  
Cited by: Papers (4)
-  |  |  Quick Abstract |  PDF (736 KB) | |  HTML
- 
- A novel hierarchical QAM-based unequal error protection scheme for H.264/AVC video over frequency-selective fading channels** 
- Peng Li ; Yilin Chang ; Nina Feng ; Fuzheng Yang  
Publication Year: 2010 , Page(s): 2741 - 2746  
Cited by: Papers (2)
-  |  |  Quick Abstract |  PDF (1151 KB) | |  HTML
- 
- Power saving and delay reduction for supporting WLAN-based fixed-mobile convergence service in smartphone** 
- Sung-Bong Jang ; Young-Gab Kim  
Publication Year: 2010 , Page(s): 2747 - 2755
-  |  |  Quick Abstract |  PDF (306 KB) | |  HTML
- 
- Image quality assessment using the amplitude/phase quantization code** 
- Dong-O Kim ; Rae-Hong Park  
Publication Year: 2010 , Page(s): 2756 - 2762



 |  |  Quick Abstract |  PDF (594 KB) | |  HTML

**Image enhancement using a fusion framework of histogram equalization and laplacian pyramid** 

Se-Hwan Yun ; Jin Heon Kim ; Suki Kim

Publication Year: 2010 , Page(s): 2763 - 2771

Cited by: Papers (2)

 |  |  Quick Abstract |  PDF (587 KB) | |  HTML

**Tone mapping using color correction function and image decomposition in high dynamic range imaging** 

Ji Won Lee ; Rae-Hong Park ; Soonkeun Chang

Publication Year: 2010 , Page(s): 2772 - 2780

Cited by: Papers (4)

 |  |  Quick Abstract |  PDF (703 KB) | |  HTML

**A design of high-performance pipelined architecture for H.264/AVC CAVLC decoder and low-power implementation** 

Byung-Yup Lee ; Kwang-Ki Ryoo

Publication Year: 2010 , Page(s): 2781 - 2789

 |  |  Quick Abstract |  PDF (595 KB) | |  HTML

**Symmetrical frame discard method for 3D video over IP networks** 

Young-uk Chung

Publication Year: 2010 , Page(s): 2790 - 2796

 |  |  Quick Abstract |  PDF (146 KB) | |  HTML

**Generation of multi-view video using a fusion camera system for 3D displays** 

Eun-Kyung Lee ; Yo-Sung Ho

Publication Year: 2010 , Page(s): 2797 - 2805

Cited by: Papers (8)

 |  |  Quick Abstract |  PDF (775 KB) | |  HTML

**A reformative frame layer rate control algorithm for H.264** 

Xiao Chen ; Feifei Lu

Publication Year: 2010 , Page(s): 2806 - 2811

Cited by: Papers (1)

 |  |  Quick Abstract |  PDF (208 KB) | |  HTML

- A memory interleaving and interlacing architecture for deblocking filter in H.264/AVC** 

Yeong-Kang Lai ; Lien-Fei Chen ; Wei-Che Chiou

Publication Year: 2010 , Page(s): 2812 - 2818

 |  |  Quick Abstract |  PDF (2145 KB) | |  HTML

- Implementation of a H.264/AVC SVC decoder with multi-symbol prediction CAVLC for advanced T-DMB receiver** 

Dong-Sun Kim ; Seung-Yerl Lee ; Sang-Seol Lee ; Jae-Hun Ahn ; Byeong-Ho Cho

Publication Year: 2010 , Page(s): 2819 - 2825

 |  |  Quick Abstract |  PDF (2054 KB) | |  HTML

- Hybrid interactive data service architecture over T-DMB with mobile network** 

Youngkwon Lim ; Kyuheon Kim ; Jechang Jeong

Publication Year: 2010 , Page(s): 2826 - 2833

Cited by: Papers (1)

 |  |  Quick Abstract |  PDF (1130 KB) | |  HTML

- 2010 Index IEEE transactions on consumer electronics volume 56** 

Publication Year: 2010 , Page(s): 2834 - 2891

 |  |  PDF (429 KB)

- Preparation of papers for publication in IEEE transactions on consumer electronics** 

Publication Year: 2010 , Page(s): c3

 |  |  PDF (44 KB)

- Table of contents [continued]**

Publication Year: 2010 , Page(s): c4

 |  |  PDF (346 KB)